

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 12/20/2000

Reviewed on 12/20/2000

*	1 Identification of substance:								
	<ul style="list-style-type: none">• Product details:• Trade name: <u>WETSET AQUASTOP FC</u>• Manufacturer/Supplier: SEITZ GmbH Chemische Fabrik Gutenbergstr. 3 D-65830 Kriftel• Information department: CHEM-TEL Inc. 10770 North 46th Street STE. B100 Temple Terrace Tampa Florida 33617• Emergency information: 1-800-255-3924								
	2 Composition/Data on components:								
	<ul style="list-style-type: none">• Chemical characterization• Description: Mixture of the substances listed below with non-hazardous ingredients. <table><thead><tr><th>CAS-No.</th><th>Components:</th><th></th></tr></thead><tbody><tr><td></td><td>trade secret: fluoroacrylate copolymer</td><td align="right">< 10 %</td></tr><tr><td></td><td>64-19-7 acetic acid</td><td align="right">< 1 %</td></tr></tbody></table>	CAS-No.	Components:			trade secret: fluoroacrylate copolymer	< 10 %		64-19-7 acetic acid
CAS-No.	Components:								
	trade secret: fluoroacrylate copolymer	< 10 %							
	64-19-7 acetic acid	< 1 %							
3 Hazards identification									
	<ul style="list-style-type: none">• Hazard description: not applicable• Information pertaining to particular dangers for man and environment not applicable• Classification system• NFPA ratings (scale 0-4) <table><tr><td rowspan="3"><div style="border: 2px solid black; width: 20px; height: 40px; margin: 0 auto;"></div></td><td>Health = 0</td></tr><tr><td>Fire = 1</td></tr><tr><td>Reactivity = 0</td></tr></table>	<div style="border: 2px solid black; width: 20px; height: 40px; margin: 0 auto;"></div>	Health = 0	Fire = 1	Reactivity = 0				
<div style="border: 2px solid black; width: 20px; height: 40px; margin: 0 auto;"></div>	Health = 0								
	Fire = 1								
	Reactivity = 0								
4 First aid measures									
	<ul style="list-style-type: none">• General information Remove casualties from exposure. Keep unprotected persons away. Immediately remove any clothing soiled by the product.• After inhalation Supply fresh air; consult doctor in case of complaints.• After skin contact Immediately wash with water and soap and rinse thoroughly.• After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.• After swallowing Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help.								

USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 12/20/2000

Reviewed on 12/20/2000

Trade name: WETSET AQUASTOP FC

5 Fire fighting measures

- **Suitable extinguishing agents**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards caused by the material, its products of combustion or resulting gases:**
In certain fire conditions, traces of other toxic gases cannot be excluded.
- **Protective equipment:**
Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Person-related safety precautions:** Avoid contact with eyes and skin.
- **Measures for environmental protection:**
Do not allow product to reach sewage system or any water course.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the collected material according to regulations.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:**
No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Protect from frost.
Time of storage: max. 18 month
- **Class according to regulation on flammable liquids:** Void

*** 8 Exposure controls and personal protection**

- **Additional information about design of technical systems:**
No further data; see item 7.

Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid

ACGIH TLV: Short-term value: 15 ppm

Long-term value: 10 ppm

NIOSH REL: Short-term value: 37 mg/m³, 15 ppmLong-term value: 25 mg/m³, 10 ppmOSHA PEL: 25 mg/m³, 10 ppm

- **Additional information:**

The lists that were valid during the creation were used as basis.

(Contd. on page 3)

USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 12/20/2000

Reviewed on 12/20/2000

Trade name: WETSET AQUASTOP FC

(Contd. of page 2)

- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures for handling chemicals should be followed.
Do not eat, drink, smoke or sniff while working.
Immediately remove all soiled and contaminated clothing
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Protective gloves recommended.
- **Eye protection:** Safety glasses recommended
- **Body protection:** Protective work clothing recommended

9 Physical and chemical properties:

• Form: Fluid			
• Color: Whitish			
• Odor: Weak, characteristic			
• Change in condition			
• Melting point/Melting range:	undetermined		
• Boiling point/Boiling range:	undetermined		
• Flash point:	> 212°F / > 100 ° C	ASTM D93	c.c
• Auto igniting:	Product is not selfigniting.		
• Danger of explosion: Product does not present an explosion hazard.			
• Density:	at 20 ° C	1.011 g/cm3	ISO 2811
• Solubility in / Miscibility with			
• Water:	Fully miscible		
• pH-value:	at 20 ° C	3.0 - 3.3	

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Dangerous reactions** None if used as directed.
- **Dangerous products of decomposition:**
No dangerous decomposition products known

11 Toxicological information

- **Acute toxicity:**
LD/Lc50 values that are relevant for classification:
64-19-7 acetic acid
Oral: LD50: 3310 mg/kg (rat)
Dermal: LD50: 1060 mg/kg (rabbit)
- **Primary irritant effect:**
- **on the skin:** Irritating effects possible
- **on the eye:** Irritating effects possible
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not

(Contd. on page 4)

USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 12/20/2000

Reviewed on 12/20/2000

Trade name: WETSET AQUASTOP FC
(Contd. of page 3)
have any harmful effects according to our experience and the information provided to us.
12 <u>Ecological information:</u>
<ul style="list-style-type: none"> General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments.
13 <u>Waste Disposal Method</u>
<ul style="list-style-type: none"> Product and uncleaned packagings: Recommendation: Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.
14 <u>Transport information</u>
<ul style="list-style-type: none"> DOT regulations: Hazard class: - Land transport ADR/RID (cross-border) ADR/RID class: - Maritime transport IMDG: IMDG Class: - Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: - Transport/Additional information: Not dangerous according to the above specifications.
15 <u>Regulatory information (Not meant to be all-inclusive/selected regulations represented)</u>
<ul style="list-style-type: none"> Product related hazard informations: The product has not been classified and marked in accordance respective national laws. Observe the general safety regulations when handling chemicals Hazard symbols: not applicable Safety phrases: Keep out of the reach of children. When using do not eat or drink. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. In case of accident or if you feel unwell, seek medical advice immediately. If swallowed, seek medical advice immediately and show this container
(Contd. on page 5)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 12/20/2000

Reviewed on 12/20/2000

Trade name: WETSET AQUASTOP FC	
(Contd. of page 4)	
or label.	
• National regulations	
• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.	
• Other regulations, limitations and prohibitive regulations The product has been designed for professional use only.	
• Please note: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that their activities comply with Federal, State or provincial and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.	
• U.S. Regulations	
• SARA 313 Information: This product contains the following substances are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: CAS-No.: Chemical name: void	
• SARA Hazard Category: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories: void	
• Toxic Substances Control Act (TSCA): All ingredients are listed on the TSCA inventory.	
• California proposition 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product contains / does not contain chemical(s) known to the State of California to cause cancer and/or to cause reproductive toxicity. Chemicals known to cause cancer: void	
Chemicals known to cause reproductive toxicity: void	
• State right-to-know The following product component(s) is/are cited on certain State lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.	
• CAS-No.: Chemical name: 64-19-7 acetic acid	LIST: NY/PA-E
• OSHA hazard communication standard: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
• Comprehensive Environmental Response Compensation and Liability Act (CERCLA, or Superfund): This product contains the following substance(s) listed as "Hazardous Substances" under CERCLA, which may require reporting of releases:	
• CAS-No.: Chemical name: 64-19-7 acetic acid	
• Canadian regulations	
• WHMIS information: The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is: void	
• CPR statement: This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS (Contd. on page 6)	

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 12/20/2000

Reviewed on 12/20/2000

Trade name: WETSET AQUASTOP FC

(Contd. of page 5)

contains all the information required by the CPR.

• Hazardous products act information:

This produkt contains the following ingredient(s) which are Controlled Products and/or on the Ingredients Disclosure List (Canadian HPA section 13 and 14):

- **CAS-No.: Components:** 64-19-7 acetic acid

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:** R. Döring

USA