

Hydrochloric Acid 37% Solution
11155

**** SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION ****

MSDS Name: Hydrochloric Acid 37% Solution

Catalog Numbers:

S71942, S71943, S74853, S74853SC, S80038, 144J212, A142 212, A142-212, A142212, A142P 20, A142P-20, A142P20, A144 212, A144 500, A144 500LB, A144 612GAL, A144-20, A144-212, A144-500, A144-500L, A144-500LB, A144-612G, A144-612GAL, A144-612GL, A1440212LC, A144212, A144500, A144500LB, A144500LB02, A144500LDLC, A1445212LC, A144612GAL, A144C 212, A144C-2.5, A144C-212, A144C212, A144C212001, A144FP 500, A144FP500, A144P 20, A144P 500, A144P-1GA, A144P-1GAL, A144P-20, A144P20, A144P500, A144S 212, A144S 500, A144S-212, A144S-500, A144S212, A144S212EA, A144S500, A144SI 212, A144SI-21, A144SI-212, A144SI212, A466 1, A466 250, A466 500, A466-1, A466-2, A466-250, A466-500, A4661, A4662, A466250, A466250LC, A4662LC, A466500, A481 212, A481-212, A481212, A481212LC, A508-212, A508-500, A508212 001, A508212 002, A508212001, A508212002, A508212003, A508212004, A508212LC, A508SK212, CRNA481 212, CRNA481212, NC9525793, NC9532181, S71942SCMF, S71942SCND, S71943ND, SA431-500, SA48-1, SA48-20, SA48-4, SA48-500, XXA142200LI, XXA481EP212

Synonyms:

Chlorohydric acid, hydrogen chloride, muriatic acid, spirits of salt.

Company Identification: Fisher Scientific

1 Reagent Lane

Fairlawn, NJ 07410

For information, call: 201-796-7100

Emergency Number: 201-796-7100

For CHEMTREC assistance, call: 800-424-9300

For International CHEMTREC assistance, call: 703-527-3887

**** SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS ****

CASH	Chemical Name	%	EINECS#
7647-01-0	Hydrogen chloride	36-38%	231-595-7
7732-18-5	Water	62-64%	231-791-2

Hazard Symbols: C

Risk Phrases: 34 37

**** SECTION 3 - HAZARDS IDENTIFICATION ****

EMERGENCY OVERVIEW

Appearance: clear, colorless.

Danger! Corrosive. Sensitizer. Causes eye and skin burns. May cause severe respiratory and digestive tract irritation with possible burns.

Target Organs: None.

⚠E

Potential Health Effects

Eye:

May cause irreversible eye injury. Vapor or mist may cause irritation and severe burns. Contact with liquid is corrosive to the eyes and causes severe burns. May cause painful sensitization to light. May cause conjunctivitis.

Skin:

May be absorbed through the skin in harmful amounts. Contact with liquid is corrosive and causes severe burns and ulceration. May cause photosensitization in certain individuals.

Ingestion:

May cause circulatory system failure. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause corrosion and permanent tissue destruction of the esophagus and

digestive tract.

Inhalation:

Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. May cause pulmonary edema and severe respiratory disturbances.

Chronic:

Prolonged or repeated skin contact may cause dermatitis. Repeated exposure may cause erosion of teeth.
May cause conjunctivitis and photosensitization.

**** SECTION 4 - FIRST AID MEASURES ****

Eyes:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Get medical aid immediately. Do NOT allow victim to rub or keep eyes closed.

Skin:

Get medical aid. Rinse area with large amounts of water for at least 15 minutes. Remove contaminated clothing and shoes.

Ingestion:

Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.

Inhalation:

Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician:

Treat symptomatically and supportively.

**** SECTION 5 - FIRE FIGHTING MEASURES ****

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Not flammable, but reacts with most metals to form flammable hydrogen gas. Use water spray to keep fire-exposed containers cool.

→E

Extinguishing Media:

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Autoignition Temperature: Not available.

Flash Point: Not available.

NFPA Rating: Not published.

Explosion Limits, Lower: Not available.

Upper: Not available.

**** SECTION 6 - ACCIDENTAL RELEASE MEASURES ****

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite.

**** SECTION 7 - HANDLING and STORAGE ****

Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Do not get on skin or in eyes. Do not ingest or inhale.

Storage:

Keep away from heat and flame. Do not store in direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible substances.

**** SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION ****

Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Hydrogen chloride	C 5 ppm; C 7.5 mg/m3	50 ppm IDLH	C 5 ppm; C 7 mg/m3
Water	none listed	none listed	none listed

OSHA Vacated PELs:

Hydrogen chloride:

No OSHA Vacated PELs are listed for this chemical.

Water:

No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes:

+E

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin:

Wear appropriate protective gloves to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Respirators:

Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

**** SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ****

Physical State: Liquid
 Appearance: clear, colorless
 Odor: strong odor - pungent odor
 pH: 1.1 (0.1N sol).
 Vapor Pressure: 160 mm Hg
 Vapor Density: 1.257 (Air=1)
 Evaporation Rate: 2.0 (Butyl acetate=1)
 Viscosity: Not available.
 Boiling Point: 230 deg F
 Freezing/Melting Point: -101 deg F
 Decomposition Temperature: 3239.6 deg F
 Solubility: 823g/L water at 32F.
 Specific Gravity/Density: 1.16-1.19 (Water=1)
 Molecular Formula: HCl
 Molecular Weight: 36.46

**** SECTION 10 - STABILITY AND REACTIVITY ****

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials, light.

Incompatibilities with Other Materials:

Acetate, acetic anhydride, alcohols + hydrogen cyanide, 2-aminoethanol, ammonium hydroxide, calcium carbide, calcium phosphide, cesium acetylene carbide, cesium carbide, chlorosulfonic

FROM: Fisher Scientific TO: Extension PAGES: 2

acid, 1,1-difluoroethylene, ethylene diamine, ethyleneimine, fluorine, lithium silicide, magnesium boride, mercuric sulfate, oleum, perchloric acid, potassium permanganate, b-propiolactone, propylene oxide, rubidium acetylene carbide, rubidium carbide, silver perchlorate + carbon tetrachloride, sodium, sodium hydroxide, sulfuric acid, uranium phosphide, vinyl acetate. Substance polymerizes on contact with aldehydes or epoxides.

Hazardous Decomposition Products:

Hydrogen chloride, hydrogen gas.

Hazardous Polymerization: May occur.

**** SECTION 11 - TOXICOLOGICAL INFORMATION ****

+E

RTECS#:

CASH 7647-01-0: MW4025000

CASH 7732-18-5: ZC0110000

LD50/LC50:

CASH 7647-01-0: Inhalation, mouse: LC50 =1108 ppm/1H; Inhalation, rat: LC50 =3124 ppm/1H; Oral, rabbit: LD50 = 900 mg/kg.

CASH 7732-18-5: Oral, rat: LD50 = >90 mL/kg.

Carcinogenicity:

Hydrogen chloride -

IARC: Group 3 carcinogen

Water -

Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.

Epidemiology:

No information available.

Teratogenicity:

Embryo or Fetus: Stunted fetus, ihl-rat TCLO=450 mg/m3/1H Specific Developmental Abnormalities: homeostasis, ihl-rat TCLO=450 mg/m3/1H.

Reproductive Effects:

No information available.

Neurotoxicity:

No information available.

Mutagenicity:

No information available.

Other Studies:

None.

**** SECTION 12 - ECOLOGICAL INFORMATION ****

Ecotoxicity:

Trout LC100=10 mg/L/24H Shrimp LC50=100-330 ppm Starfish

LC50=100-330mg/L/48H Shore crab LC50=240 mg/L/48H Chronic plant toxicity=100 ppm

Environmental Fate:

Substance will neutralize soil carbonate-based components.

Physical/Chemical:

No information available.

Other:

None.

**** SECTION 13 - DISPOSAL CONSIDERATIONS ****

Dispose of in a manner consistent with federal, state, and local regulations.

RCRA D-Series Maximum Concentration of Contaminants:

None listed.

RCRA D-Series Chronic Toxicity Reference Levels: None listed.

RCRA F-Series: None listed.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Not listed as a material banned from land disposal according to RCRA.

**** SECTION 14 - TRANSPORT INFORMATION ****

+E

US DOT

FROM: Fisher Scientific TO: Extension PAGES: 2

Shipping Name: HYDROCHLORIC ACID

Hazard Class: 8

UN Number: UN1789

Packing Group: II

IMO

No information available.

IATA

No information available.

RID/ADR

No information available.

Canadian TDG

Shipping Name: HYDROCHLORIC ACID

Hazard Class: 8(9.2)

UN Number: UN1789

**** SECTION 15 - REGULATORY INFORMATION ****

US FEDERAL

TSCA

CASH 7647-01-0 is listed on the TSCA inventory.

CASH 7732-18-5 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.
Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

SARA

Section 302 (RQ)

CASH 7647-01-0: final RQ = 5000 pounds (2270 kg)

Section 302 (TPQ)

CASH 7647-01-0: TPQ = 500 pounds; RQ = 5000 pounds (does not meet toxicity criteria but because of high production volume and recognized toxicity is considered a chemical of concern)

SARA Codes

CAS # 7647-01-0: acute.

Section 313

This material contains Hydrogen chloride (CAS# 7647-01-0, 36 38%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Clean Air Act:

CASH 7647-01-0 is listed as a hazardous air pollutant (HAP).

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

CASH 7647-01-0 is listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

CASH 7647-01-0 is considered highly hazardous by OSHA.

+E

STATE

Hydrogen chloride can be found on the following state right to know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, Massachusetts.

Water is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California No Significant Risk Level:

None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: C

Risk Phrases:

R 34 Causes burns.

R 37 Irritating to respiratory system.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately

FROM: Fisher Scientific TO: Extension PAGES: 2
with plenty of water and seek medical advice.
S 45 In case of accident of if you feel unwell, seek
medical advice immediately (show the label where
possible).

WGK (Water Danger/Protection)

CASH 7647-01-0: 1

CASH 7732-18-5: No information available.

Canada

CASH 7647-01-0 is listed on Canada's DSL/NDSL List.

CASH 7732-18-5 is listed on Canada's DSL/NDSL List.

This product has a WHMIS classification of D1A, E.

CASH 7647-01-0 is not listed on Canada's Ingredient Disclosure List.

CASH 7732-18-5 is not listed on Canada's Ingredient Disclosure List.

Exposure Limits

CASH 7647-01-0: OEL-AUSTRALIA:TWA 5 ppm (7 mg/m3). OEL-AUSTRIA:TWA 5 ppm (7 mg/m3). OEL-BELGIUM:STEL 5 ppm (7.7 mg/m3). OEL-DENMARK:STEL 5 ppm (7 mg/m3). OEL-FINLAND:STEL 5 ppm (7 mg/m3);Skin. OEL-FRANCE:STEL 5 ppm (7.5 mg/m3). OEL-GERMANY:TWA 5 ppm (7 mg/m3). OEL-HUNGARY:STEL 5 mg/m3. OEL-JAPAN:STEL 5 ppm (7.5 mg/m3). OEL-THE NETHERLANDS:TWA 5 ppm (7 mg/m3). OEL-THE PHILIPPINES:TWA 5 ppm (7 mg/m3). OEL-POLAND:TWA 5 mg/m3. OEL-RUSSIA:STEL 5 ppm (5 mg/m3). OEL-SWEDEN:STEL 5 ppm (8 mg/m3). OEL-SWITZERLAND:TWA 5 ppm (7.5 mg/m3);STEL 10 ppm (15 mg/m3). OEL-THAILAND:TWA 5 ppm (7 mg/m3). OEL-TURKEY:TWA 5 ppm (7 mg/m3). OEL-UNITED KINGDOM:TWA 5 ppm (7 mg/m3);STEL 5 ppm (7 mg/m3). OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA check ACGIH TLV. OEL IN NEW ZEALAND, SINGAPORE, VIETNAM check ACGI TLV

**** SECTION 16 - ADDITIONAL INFORMATION ****

MSDS Creation Date: 1/09/1995 Revision #26 Date: 12/12/1997

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of

+E

the possibility of such damages.
