Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

Liquid Chlorine Bleach

PRODUCT NAME : SODIUM HYPOCHLORITE 10%+CL2 Date: 9-JAN-2001 10:21:22.48
PRODUCT CODE : 09567 55 GAL POLY

CAS #: 007681529 MSDS No. 001767 Revision No./Date 04 990301
Detail Number 01038/02

FORMULA: NaOCl
CHEM. FAMILY: bleaching agents (oxidizers)
CHEMICAL NAME AND SYNONYMS:
Sodium Hypochlorite Solutions;
Bleach;
Soda Bleach Liquor;
Chlorine Bleach;
MSDS 001767 DETAIL 01038

SUPPLIERS NAME : Harcros Chemicals Inc.
5200 Speaker Road
Kansas City KS 66106-1095

SUPPLIERS PHONE NUMBER : 913-321-3131
TRANSPORTATION EMERGENCY PHONE NUMBER : 1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute Fire Chronic
PHYSICAL DATA : Mixture Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES 312	313	372	AIR CONTAMINENT LEVELS TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)	SKIN	AGENT
Sodium Hypochlorite Hypochlorous Acid, Sodium Salt (CAS # 7681-52-9)	15.0	Y	N	N	As Chlorine TWA/TLV 0.5 ppm OSHA/ACGIH STEL 1 ppm OSHA/ACGIH				
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2)	3.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH				

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE
EYES

Continued On Page 2

PRODUCT NAME : SODIUM HYPOCHLORITE 10%+CL2 Date: 9-JAN-2001 10:21:23.06
PRODUCT CODE : 09567 55 GAL POLY

SECTION II HEALTH HAZARDS (CONTINUED)

Eye contact with product may cause severe irritation eye damage blindness
SKIN
Skin contact may cause irritation burns
Prolonged or repeated skin contact may cause skin damage
INHALATION
Inhalation may cause severe irritation sneezing
Prolonged or repeated overexposure by inhalation may cause pneumonia lung damage, damage to respiratory system even death
INGESTION
Ingestion may cause severe irritation tissue ulceration gastrointestinal damage circulatory collapse convulsions coma
even death
TARGET ORGANS
OVEREXPOSURE MAY CAUSE DAMAGE TO,
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues
FIRST AID
FIRST AID EYES
Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.
FIRST AID SKIN
Immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Thoroughly clean clothing and shoes before reuse. Call a physician.
FIRST AID INHALATION
Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.
FIRST AID INGESTION
Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.
OTHER INFORMATION
ROUTES OF ENTRY
eye contact skin contact inhalation
OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE
eyes skin respiratory system
CARCINOGEN STATUS
No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

SECTION III SPECIAL PROTECTION

Continued On Page 3

PRODUCT NAME : SODIUM HYPOCHLORITE 10%+CL2 Date: 9-JAN-2001 10:21:23.61
PRODUCT CODE : 09567 55 GAL POLY

SECTION III SPECIAL PROTECTION (CONTINUED)

PROTECTIVE EQUIPMENT
PROTECTIVE EQUIPMENT EYES
chemical goggles faceshield
PROTECTIVE EQUIPMENT SKIN
impervious gloves rubber apron clean body covering clothing
PROTECTIVE EQUIPMENT INHALATION
If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.
VENTILATION REQUIRED:
Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.
ADDITIONAL PROTECTIVE MEASURES
Safety shower, eye wash fountain, and washing facilities should be readily available.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A
Flammable Limits (% Volume in Air) UPPER: N/D Lower: N/D

HMIS Info
Health : 2
Fire : 0
React : 2
Special : X

EXTINGUISHING MEDIA
water
FIRE FIGHTING PROCEDURES
Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing.
UNUSUAL FIRE & EXPLOSION HAZARDS
Product does not burn, but can provide oxygen which can intensify a fire. Toxic fumes may be released. Product is an oxidizer. It may react vigorously with organics or other materials resulting in an explosion and fire.

SECTION V PHYSICAL DATA

Continued On Page 4

PRODUCT NAME : SODIUM HYPOCHLORITE 10%+CL2 Date: 9-JAN-2001 10:21:24.17
PRODUCT CODE : 09567 55 GAL POLY

SECTION V PHYSICAL DATA (CONTINUED)

Boiling Point: N/D
Freezing Point: -10 deg. F
Specific Gravity (H(2)O=1): 1.2000 to 1.2400 @ 68 deg. F
Vapor Pressure (MM HG.): > OR = 17.500 @ 68 deg. F
Vapor Density (AIR=1) : N/D
Evaporation Rate (NA =1): N/D
Solubility in Water: COMPLETE
Percent Volatile by Volume: N/D
pH: aqueous approx. > OR = 12.000
Appearance:
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :
SHARP

SECTION VI REACTIVITY DATA

STABILITY
Stable when stored in container under proper conditions.
INCOMPATABILITY
metals/metal blends inorganic acids inorganic bases organic acids organic bases organic mixtures
Avoid contact with strong reducing agents which include hydrogen, hydrazine, sulfides, sulfites, and nitrites. Product is an oxidizer. It may react vigorously with organics or other materials resulting in an explosion and fire.
HAZARDOUS DECOMPOSITION PRODUCTS
chlorine hydrogen chloride oxygen
HAZARDOUS POLYMERIZATION
Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:
Product may be toxic to fish or aquatic life. Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, reduce by adding reducing agents such as bisulfites or ferrous salt solutions. Some heat will be produced. May be neutralized with reducing agents. Keep on alkaline side and dilute with copious quantities of water. Principal end product is salt water (NaCl).
DISPOSAL METHOD

Continued On Page 5

PRODUCT NAME : SODIUM HYPOCHLORITE 10%+CL2 Date: 9-JAN-2001 10:21:24.72
PRODUCT CODE : 09567 55 GAL POLY

SECTION VII SPILL AND LEAK PROCEDURES (CONTINUED)

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: HYPOCHLORITE SOLUTIONS

Hazard Class: 8, UN1791, PGIII
Label Requirements: CORROSIVE
Reportable Quantity: None

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD
DANGER
PRECAUTIONS
Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing. Keep from contact with clothing or other combustible materials.
Do not swallow.
HANDLING
Do Not add any other product to this container. For industrial use only. Do Not apply heat to container. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.
STORAGE
Keep container closed when not in use. Store in a cool dry place. Store out of direct sunlight and away from heat. Decomposition can cause pressure-buildup in closed containers. Relieve internal pressure when received and at least weekly thereafter by slowly loosening bung. Retighten immediately. Wear protective equipment. Keep out of reach of children.

SECTION X COMPLIANCE INFORMATION

NSF INFORMATION
MAXIUM USE LEVEL IN POTABLE WATER:
250 mg/L

Continued On Page 6

PRODUCT NAME : SODIUM HYPOCHLORITE 10%+CL2 Date: 9-JAN-2001 10:21:25.34
PRODUCT CODE : 09567 55 GAL POLY

NAME: GENE TURNER

DATE ISSUED: 931230
DATE REVISED: 990301

< = LESS THAN
> = MORE THAN

N/A = NOT APPLICABLE
N/D = NOT DETERMINED
N/E = NOT ESTABLISHED

UNK = UNKNOWN

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration , and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.