MSDS - Material Safety Data Sheet

Product Name: QDL-304

Medical Conditions Generally Aggravated by Exposure:

MSDS No.: 812

I. Basic II	nformation:						
Manufacturer: U.N.X. INCORPORATED							
Address: 707 ARLINGTON BLVD.							
City, ST Zip: GREENVILLE, NC 27858							
Emergency	Contact: CHEMTEL			`	ACD	\checkmark	
Emergency Telephone Number: 800-255-3924					Special		
Contact: All	MENDT; MANGIN; SPICER				~		
Information	Telephone Number: 252-756-8610	5		2			
Last Update	: 01/29/2002			0			
Chemical S	tate:	X Solid		1		-	
Chemical Ty	ype: Pure X Mixtu	re		L F	Pers. Pro	itection	
II. Ingred	ients:						
Trade Secret							
			EHS IA	RC SARA 313	OSHA	ACGIH	Other
CAS No.	Chemical Name	% Range	NTP	SUB Z	PEL	TLV	Limits
16893859	Sodium silicofluoride	70-80			2.5mg/m3	2.5mg/m3	3
N/A	Trade Secret PSRN 57948000-5010P	15-25					
III. Haza	rdous Identification:						
Hazard Cate	egory:						
Acu	te Chronic	Fire		Pressure		Reactive	
Hazardous Identification Information:							
IV. First	Aid Measures:						
Route(s) of	<u> </u>						
SKIN, EYI	ES, INHALATION						
Health Haza	rds (Acute and Chronic):						
INHALATION, MAY CAUSE IRRITATION OF MUCUS MEMBRANES AND RESPIRATORY TRACT. SKIN, MAY CAUSE IRRITATION. INGESTION, MAY BE FATAL IF LARGE AMOUNTS ARE INGESTED. MAY CAUSE ABDOMINAL PAIN, DIARRHEA, VOMITING, EXCESS SALIVATION, AND PAINFUL SPASMS OF THE LIMBS. EYES, MAY CAUSE IRRITATION.							
Signs and S	ymptoms:						
EXPOSURE TO THE EYE: IRRITANT, CORNEA DAMAGE. INHALATION: PULMONARY IRRITATION AND UNDER EXTREME CONDITIONS CAN CAUSE DEATH. OVER EXPOSURE: EYE DAMAGE, LUNG DAMAGE.							

MSDS - Material Safety Data Sheet

Product Name: QDL-304

MSDS No.: 812

Emergency and First Aid Procedures:

EYES: IMMEDIATELY FLUSH WITH WARM WATER FOR AT LEAST 15 MINUTES, CONTACT PHYSICIAN. SKIN: WASH OFF WITH LARGE AMOUNTS OF WATER AND SEEK MEDICAL ATTENTION IF IRRITATION OR CHEMICAL BURNS DEVELOP.

INHALATION: REMOVE TO FRESH AIR, CALL PHYSICIAN.

INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY! GIVE LARGE VOLUMES OF WATER. DO NOT INDUCE VOMITING UNLESS ADVISED BY LICENSED MEDICAL PERSONNEL. ADVISE MEDICAL PERSONNEL OF POSSIBLE FLUORIDE EXPOSURE.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: -

Lower Explosive Limit: -

Upper Explosive Limit: -

F.P. Method: -

Fire Extinguishing Media: NON-FLAMMABLE/NON-COMBUSTIBLE

Special Fire Fighting Procedures:

USE NIOSH/MSHA APPROVED SELF CONTAINED BREATHING APPARATUS WHERE PRODUCT IS INVOLVED IN FIRE.

Unusual Fire and Explosion:

ISOLATE RUN OFF FROM BLEACHES AND ALKALI.

AVOID WHEN HEATED TO HIGH TEMPERATURES, PRODUCES HIGHLY TOXIC FUMES

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

FOR SMALL SPILLS, MATERIAL SHOULD BE DILUTED WITH WATER AND DISPOSED TO SEWER. FOR LARGE SPILLS, SWEEP MATERIAL INTO NEW CONTAINERS. DO NOT PUT CONTAMINATED MATERIAL WITH CLEAN MATERIAL. ASK LOCAL AUTHORITIES ABOUT WASTE DISPOSAL.

VII. Handling and Storage:

Precautions to be Taken:

AVOID EXCESSIVE HEAT AND MOISTURE. AVOID CONTACT WITH BLEACHES AND ORGANIC COMBUSTIBLE AGENTS. STORE IN A COOL, DRY, WELL VENTILATED AREA. DO NOT STORE NEAR HAZARDOUS MATERIALS.

Other Precautions:

DO NOT MIX WITH DRY BLEACH IN WASHWHEEL SUPPLY DISPENSER.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

AVOID BREATHING DUST. IF EXPOSURE LIKELY, USE FILTER OR DUST TYPE RESPIRATOR: MECHANICAL VENTILATION IS ACCEPTABLE.

Personal Protective Equipment:

RUBBER GLOVES SHOULD BE WORN. SAFETY GOGGLES SHOULD BE WORN.

OTHER PROTECTIVE MEASURES: HAVE AN EYE BATH AND SAFETY SHOWER CLOSE BY. IF POTENTIAL FOR SKIN CONTACT, WEAR PROTECTIVE GLOVES AND HAVE A HAND WASH AREA NEAR BY (ie. SOAP SOLUTION.). WORK/HYGIENIC PRACTICES: WASH HANDS, CHANGE OUT OF CLOTHES AS SOON AS POSSIBLE. WASH CLOTHES. SHOWER OR BATHE AS SOON AS POSSIBLE.

MSDS - Material Safety Data Sheet

Product Name: QDL-304

MSDS No.: 812

IX. Physical and Chemical Properties:

Boiling Point: 500°C

Melting Point: 500°C

Evaporation Rate (Butyl Acetate = 1): N/A

Vapor Pressure (mm Hg.): N/A

Specific Gravity (H20 = 1):

Vapor Density (AIR = 1): N/A

Solubility In Water: GOOD AT SUGGESTED

CONCENTRATIONS Other Information: RUST CONTROL SOUR THIS PRODUCT CONTAINS NO PHOSPHATES Appearance and Odor: WHITE POWDER, NO ODOR

X. Stability and Reactivity:

Stability:

VERY STABLE

Incompatibility (Materials to Avoid):

OXIDIZABLE OR COMBUSTIBLE ORGANIC MATERIALS, STRONG OXIDIZERS, BLEACHES, ACIDS, ALKALI.

Decomposition/By Products:

HYDROGEN FLUORIDE, AND SODIUM FLUORIDE @ 260°F SILICON TETRAFLUORIDE

Hazardous Polymerization:

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

XI. Toxicological Information:

CONTACT U.N.X. INCORPORATED

XII. Ecological Information:

CONTACT U.N.X. INCORPORATED

XIII. Disposal Considerations:

FOR SMALL SPILLS, MATERIAL SHOULD BE DILUTED WITH WATER AND DISPOSED TO SEWER. FOR LARGE SPILLS, SWEEP MATERIAL INTO NEW CONTAINERS. DO NOT PUT CONTAMINATED MATERIAL WITH CLEAN MATERIAL. ASK LOCAL AUTHORITIES ABOUT WASTE DISPOSAL

XIV. Transport Information:

NOT DOT REGULATED

LABEL: POISON CONTAINS FLUORINE COMPOUNDS!

XV. Regulatory Information:

UNLESS OTHERWISE NOTED, NO COMPONENTS ARE SARA TITLE 3 SECTION 313 40 CFR LISTED MATERIALS. THE INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. THIS PRODUCT IS NOT MADE WITH VOC'S THAT COULD CAUSE DAMAGE TO THE OZONE LAYER.

XVI. Other Information: