

PRO DETTE

PRODUCT NAME: PRO DETTE

UN NUMBER : N/A

HMIS CODES: H F R P
1 0 0 B

485.8351, 3, 4

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: PARAGON PRODUCTS
c/o PHENIX SUPPLY
ADDRESS : 1200 2ND AVENUE, NORTH
BIRMINGHAM, AL 35203

EMERGENCY PHONE : 800-424-9300
INFORMATION PHONE : 973-569-9090

DATE PRINTED : 8/10/2005
NAME OF PREPARER : ENVIRONMENTAL DEPARTMENT

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
-----------------------	------------	--------------------------------	-------------------

*** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT ***

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

pH 1% SOLUTION : 2.6 +/- .5	SPECIFIC GRAVITY (H2O=1): 0.59
BOILING RANGE: n/a	EVAPORATION RATE: N/A
VAPOR DENSITY: N/A	MATERIAL V.O.C.: NOT APPLICABLE
COATING V.O.C.: NOT APPLICABLE	
SOLUBILITY IN WATER: SOLUBLE	
APPEARANCE AND ODOR: CLEAR AMBER LIQUID	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT :
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a
METHOD USED: n/a
UPPER: n/a

EXTINGUISHING MEDIA: FOR FIRES INVOLVING THIS PRODUCT, WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL MAY BE USED.

SPECIAL FIREFIGHTING PROCEDURES
WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WHEN EITHER IN CONFINED AREAS OR EXPOSED TO COMBUSTION PRODUCTS. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

UNUSUAL FIRE AND EXPLOSION HAZARDS
NONE

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID
NONE

INCOMPATIBILITY (MATERIALS TO AVOID)
NONE

PRO DETTE

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
TOXIC LEVELS OF CARBON MONOXIDE, CARBON DIOXIDE, IRRITATION ALDEHYDES AND KEYTONES
MAY BE FORMED ON BURNING. HEATING IN AIR MAY PRODUCE IRRITATING ALDEHYDES, ACIDS AND
KEYTONES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
HIGH VAPOR CONCENTRATIONS MAY CAUSE A BURNING SENSATION IN THE THROAT AND NOSE,
STINGING AND WATERING IN THE EYES. AT CONCENTRATIONS, WHICH CAUSE IRRITATION,
DIZZINESS, FAINTING, DROWSINESS, NAUSEA AND VOMITING MAY ALSO OCCUR.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
IRRITANT, REDDENING OF SKIN. SKIN DAMAGE. SEVERE IRRITATION TO EYES. FLUSH EYES
AND SKIN WITH PLENTY OF WATER FOR A LEAST 15 MINUTES. CALL A PHYSICIAN IF IRRITATION
OCCURS

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
SEE ABOVE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
INGESTION CAN CAUSE BURNING PAIN IN THE MOUTH, THROAT AND ABDOMEN; SEVERE SWELLING OF
THE LARYNX; SKELETAL MUSCLE PARALYSIS AFFECTING THE ABILITY TO BREATHE; CIRCULATORY
SHOCK; AND/OR CONVULSIONS. MAY BE FATAL.

HEALTH HAZARDS (ACUTE AND CHRONIC)
SEE ABOVE

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES
INGESTION: IF PATIENT IS FULLY CONSCIOUS, GIVE 2 GLASSES OF WATER. INDUCE VOMITING.
OBTAIN MEDICAL ATTENTION.
SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. OBTAIN MEDICAL
ATTENTION IF IRRITATION PERSISTS.
INHALATION: REMOVE TO FRESH AIR.
EYES: FLUSH WITH WATER AND CONTINUE FLUSHING FOR 15 MINUTES. OBTAIN MEDICAL
ATTENTION WITHOUT DELAY.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
CONTAIN SPILL IF POSSIBLE, WITH ABSORBENT MATERIALS SUCH AS CLAY OR SOIL AND SHOVEL
UP. AVOID SKIN AND EYE CONTACT.

WASTE DISPOSAL METHOD
IF MATERIAL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE
CHEMICAL LANDFILL IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL
REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
DO NOT HANDLE UNLESS THE SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. AVOID EYE
AND SKIN CONTACT. AVOID INHALATION OF VAPORS. DO NOT PUNCTURE, DRAG OR SLIDE
CONTAINERS. DO NOT SMOKE IN ANY CHEMICAL HANDLING OR STORAGE AREA. WASH HANDS

M A T E R I A L S A F E T Y D A T A S H E E T

Page: 3

PRO DETTE

BEFORE EATING. STORE IN A COOL, DRY AND WELL-VENTILATED LOCATION. PROTECT FROM HUMIDITY. KEEP CONTAINERS TIGHTLY CLOSED. STORE AWAY FROM INCOMPATIBLE MATERIALS.

OTHER PRECAUTIONS
USE WITH ADEQUATE VENTILATION OR LOCAL EXHAUST. STORE IN A COOL, DRY WELL VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE.

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION
NIOSH/MSHA APPROVED RESPIRATOR FOR PARTICULATES. LOCAL EXHAUST, VENTILATE AS REQUIRED.

VENTILATION
GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES
NORMAL WORK GLOVES ARE ADEQUATE.

EYE PROTECTION
WEAR CHEMICAL SAFETY GOGGLES PLUS FULL FACE SHIELD TO PROTECT AGAINST SPLASHING.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT
EYE BATH, SAFETY SHOWER

WORK/HYGIENIC PRACTICES
WARM WATER SHOWERING, HANDWASHING AND EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

===== SECTION IX - DISCLAIMER =====

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARAGON PRODUCTS, TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

===== SECTION X - UN CODE =====

N/A